



BP48VP24U01 EXTENDED BATTERY MODULE

The Extended Battery Module offers extended run-times during power outages.



The CyberPower BP48VP24U01 is a rack/tower convertible Extended Battery Module (EBM) that extends battery runtimes during power outages and is designed for the following Smart App Sinewave UPS systems: PR750RTXL2U and PR1000RTXL2U.

This EBM takes 2U of rack space and can be installed in either a rack or tower configuration to match the UPS form factor. Battery equalization technology improves battery life, and toolless battery panel access makes battery replacement fast and simple. This unit comes with a three-year warranty.

COMPATIBLE APPLICATIONS

- PR750RTXL2U UPS Systems
- PR1000RTXL2U UPS Systems

FEATURES

- 48 V/60 A Output
- Fast Charge Technology
- 2U Rack/Tower Form Factor
- Three-Years Limited Warranty

SPECIFICATIONS

GENERAL

Voltage	48 V
Amperage	60 A

BATTERY

Battery Type	Sealed Lead-Acid
Battery Size	12 V/7 Ah
Hot-Swappable	Yes
Replacement Battery	RB1270X4H
Battery Quantity	8
User Replaceable	Yes

BATTERY - CONT.

Typical Recharge Time	6 Hours
Built-in Charger	Yes
Replacement Battery Cartridge Quantity	2

PHYSICAL

Rack Size	2U
Dimensions (WxHxD) (in.)	17.1 x 3.4 x 16.2
Weight (lbs.)	55.8
Shipping Dimensions (WxHxD) (in.)	22.1 x 10.8 x 20.9
Shipping Weight (lbs.)	63.7

BP48VP24U01 EXTENDED BATTERY MODULE



SPECIFICATIONS CONT.

ENVIRONMENTAL

Operating Temperature	32°F - 104°F (0 - 40°C)
Operating Relative Humidity	0% - 95% (non-condensing)
Maximum Operating Elevation	10,000 ft (3,000 m)
Storage Temperature	5°F - 113°F (-15°C - 45°C)
Storage Relative Humidity	0 - 95% (non-condensing)
Maximum Storage Elevation	50,000 ft (15,000 m)

CERTIFICATIONS

Safety	CE, RCM, UL1778, cUL, FCC Class B, VCCI
Environmental	RoHS Compliant

WARRANTY

Product Warranty	Three-Years Limited
------------------	---------------------