



SonicWALL SSL-VPN Series

SECURE REMOTE ACCESS

Easy-to-use, Affordable, Secure and Clientless Remote Access

- **Seamless integration behind virtually any firewall**
- **Clientless connectivity**
- **Unrestricted concurrent user tunnels**
- **NetExtender technology**
- **Granular policy configuration controls**
- **Personalized portal**
- **Enhanced layered security in a SonicWALL environment**
- **Tokenless two-factor authentication**
- **Context-sensitive help**

The dependency on mobile workers has increased and so has the need to provide secure remote access to network resources such as e-mail, files, intranets and applications. SonicWALL® introduces a solution to meet the needs of companies with remote workers. SonicWALL SSL-VPN security solutions, for networks of any size, are simple to deploy and even easier to use. They provide organizations with secure remote network and application access for mobile employees at a fraction of the price of most other SSL-VPN solutions. And, unlike solutions that charge a per-tunnel licensing fee, SonicWALL SSL-VPN solutions have no restrictions on the number of concurrent user tunnels, allowing organizations to scale their remote access connectivity as they grow.

Remote access has never been so simple. Mobile employees only require a standard Web browser to log into a Web portal which provides access to e-mail, files, applications and internal Web sites. For even more powerful capabilities such as seamless, secure access to any resource on the corporate network including servers and complex or home-grown applications, the appliances transparently push a downloadable thin client (NetExtender) to the user's desktop or laptop.

Features and Benefits

Seamless integration behind virtually any firewall enables organizations to leverage the existing network infrastructure without the need to purchase additional hardware.

Clientless connectivity removes the need for a pre-installed or "fat" VPN client, thus freeing administrators from the tedious and costly task of installing and updating a client on users' PCs.

Unrestricted concurrent user tunnels, unlike per-tunnel licensing, significantly reduces the costs associated with deploying a scalable secure remote access solution.

NetExtender technology provides enhanced capabilities such as access to additional resources, services and applications on the corporate network.

Granular policy configuration controls enable network administrators to create policies that "lock down" a user to specific applications/resources and prevent unauthorized access to them.

A **personalized portal**, provided through a customizable Web interface, displays only those resources that are available to the user based on company policy.

Enhanced layered security is enabled when deployed alongside a SonicWALL network security appliance which utilizes powerful deep packet inspection technology to scan traffic for malicious threats such as viruses, worms, Trojans and spyware.

Tokenless two-factor authentication provides enhanced protection against key loggers by combining a unique one-time password, generated by the SSL-VPN appliance and sent to a remote user's mobile device or e-mail address, with the user's network user name and password.

Context-sensitive help is provided throughout the Web-based administrative interface and end-user portal, increasing management flexibility and ease-of-use.




SSL-VPN: Secure Remote Access for Any Authorized User

Key Features

The SonicWALL SSL-VPN Series extends secure remote access beyond remote offices and corporate controlled laptops out to network environments and remote computers that are not controlled and managed by the corporate IT department.

Additionally, granular access controls enable the network administrator to provide not only employees but also trusted partners and customers with remote access to specific and defined resources.

*Secure
remote access
that's easy
to use and
won't break
your budget*



Awards



(SSL-VPN 200)



(SSL-VPN 2000)

Certifications



(SSL-VPN 200/2000/4000)



(SSL-VPN 2000/4000)

Access the Resources You Need from Anywhere, When You Need Them

SonicWALL SSL-VPN solutions can be configured to provide users with simple, secure and clientless remote access to a broad range of resources on the corporate network.

Using only a standard Web browser, users have access to:

- Files and file systems (Includes support for FTP and Windows Network File Sharing)
- Web-based applications
- Microsoft Outlook Web Access, Lotus Domino Web Access and other Web-enabled applications
- HTTP and HTTPS intranets

SonicWALL NetExtender technology provides expanded access to:

- E-mail access through native clients residing on the user's laptop (Microsoft Outlook, Lotus® Notes, etc.)
- Commercial and home-grown applications
- Flexible network access as granted by the network administrator

Added flexibility for access to:

- Applications installed on desktop machines or hosted on an application server
- Full remote control of desktop or server machines
- Terminal Services (RDP), VNC, Telnet and SSH
- Citrix Presentation Server™ (ICA)*

Cost effective alternative to traditional remote access products:

- Access to full remote control of the desktop— however, unlike more traditional VNC and RDP, this requires no client software installation

*Available only on the SSL-VPN 2000 and 4000

Simple to Use, Simple to Manage

SonicWALL SSL-VPN solutions feature intuitive Web interfaces that simplify remote access and policy management from any location. Context-sensitive help is provided throughout the administrative and end-user portals to enhance usability.

Additionally, the SSL-VPN Series can be managed globally using the SonicWALL Global Management System (GMS).†

Using GMS, administrators can now monitor the up/down status of each SonicWALL SSL-VPN appliance and use one click login to access the management interface.



Secure, Easy-to-use Web Management Interface

Administrators will find SonicWALL SSL-VPN solutions very simple to deploy and manage. An easy-to-use graphical user interface makes it simple to configure, monitor and update the appliance and user policies. Additionally, the capability for granular policy configuration provides complete control over individual user access to specific network resources.

Personalized Portal Experience

Remote users require only a standard browser to launch a personalized Web portal. The user simply points the browser to a specific URL and the SSL-VPN portal automatically displays only those resources that are available to that individual based on company policy.

GMS Management

The administrator can now configure the SSL-VPN appliance to send heartbeat and syslog messages to a designated SonicWALL Global Management System (GMS 4.0 or higher).†

Multiple SSL-VPN appliances can be centrally managed from GMS. The administrative interface of an SSL-VPN appliance can be accessed via one click in the GMS interface.

†Sold separately

Seamless Integration Behind Virtually Any Firewall

Behind third-party firewalls

SonicWALL SSL-VPN appliances integrate seamlessly into any network topology and can be easily deployed alongside any third-party firewall as a secure remote access solution. This enables IT administrators to leverage the existing network infrastructure without the need to purchase additional hardware.


Enhanced security when used in a SonicWALL network environment

When deployed with a SonicWALL network security appliance running SonicWALL Gateway Anti-Virus, Anti-Spyware and Intrusion Prevention Service*, SonicWALL SSL-VPN solutions provide enhanced network integration and security benefits.

Endpoint security enforcement

By deploying SonicWALL NetExtender and Enforced Client Anti-Virus and Anti-Spyware† on managed PCs, administrators can configure policies that require every computer accessing the network has the most recent version of anti-virus and anti-spyware software installed and active.

†Sold separately



- 1 Incoming HTTPS traffic is seamlessly forwarded by the TZ or PRO Series firewall to the SSL-VPN appliance which decrypts and authenticates network traffic.
- 2 Users are authenticated using the onboard database or through third-party authentication methods such as RSA*, Vasco, RADIUS, LDAP, Microsoft Active Directory or Windows NT Domain.
- 3 A personalized Web portal provides access to only those resources that the user is authorized to view based on company policies.
- 4 Traffic is passed back to the PRO or TZ Series firewall where it is fully inspected for viruses, worms, Trojans, spyware and other sophisticated threats by the SonicWALL Unified Threat Management solution.

*Available only on the SSL-VPN 2000 and 4000

Specifications

SonicWALL SSL-VPN Series

Performance

SSL-VPN 200	Recommended for organizations with 50 or fewer employees
Concurrent User License:	Unrestricted
Recommended Maximum Concurrent Users:	10
SSL-VPN 2000	Recommended for organizations with 500 or fewer employees
Concurrent User License:	Unrestricted
Recommended Maximum Concurrent Users:	50
SSL-VPN 4000	Recommended for organizations with 500 or more employees
Concurrent User License:	Unrestricted
Recommended Maximum Concurrent Users:	200

Key Features

Applications Supported	Proxy	Citrix (ICA)* HTTP, HTTPS, FTP, SSH, Telnet, RDP, VNC, Windows* file sharing (Windows SMB/CIFS)
	NetExtender	Any TCP/IP based application: ICMP, VoIP, IMAP, POP, SMTP, etc.
Encryption		DES (128), 3DES (128, 256), AES (128, 192, 256), ARC4 (128), MD5, SHA-1
Authentication		RSA*, Vasco, One-time Passwords, Internal user database RADIUS, LDAP, Microsoft, Active Directory, Windows NT Domain
Multiple Domain Support		Yes
Fine Grain Access control		At the user, user group and network resource level
Session Security		Inactivity timeouts prevent unauthorized use of inactive sessions
Certificates	Server	Self-signed with editable common name and imported from third parties
	Client	Optional client certificates supported*
Cache Cleaner		Optional. Upon logout all cached downloads, cookies and URLs downloaded through the SSL tunnel are erased from the remote computer
Client PC Operating Systems Supported	Proxy	All operating systems
	NetExtender	Windows 2000, 2003, XP
Web Browsers Supported		Microsoft Internet Explorer, Firefox Mozilla
Personalized Portal		The remote user sees only those resources that the administrator has granted access to based on company policy
Management		Web GUI (HTTP, HTTPS), Send syslog and heartbeat messages to GMS (4.0 and higher)
Usage Monitoring		Graphic monitoring of memory, CPU, users and bandwidth usage*
Logging		Detailed logging in an easy-to-read format, Syslog supported e-mail alerts
Single-Arm Mode		Yes

Hardware

Hardened Security Appliance		SSL-VPN 200	Yes
		SSL-VPN 2000	Yes
		SSL-VPN 4000	Yes
Cryptographic Hardware Acceleration		SSL-VPN 200	Yes
		SSL-VPN 2000	Yes
		SSL-VPN 4000	Yes
Interfaces		SSL-VPN 200	(5) 10/100 Ethernet
		SSL-VPN 2000	(4) 10/100 Ethernet, (1) Serial port
		SSL-VPN 4000	(6) 10/100 Ethernet, (1) Serial port
Processors		SSL-VPN 200	SonicWALL security processor, cryptographic accelerator
		SSL-VPN 2000	x86 main processor, cryptographic accelerator
		SSL-VPN 4000	P4 Celeron main processor, cryptographic accelerator
Memory (RAM)		SSL-VPN 200	128 MB
		SSL-VPN 2000	512 MB
		SSL-VPN 4000	1 GB
Flash Memory		SSL-VPN 200	16 MB
		SSL-VPN 2000	128 MB
		SSL-VPN 4000	128 MB
Power Supply		SSL-VPN 200	20W, 12VDC, 1.66A
		SSL-VPN 2000	Internal
		SSL-VPN 4000	Internal
Max Power Consumption		SSL-VPN 200	10.4 W
		SSL-VPN 2000	48 W
		SSL-VPN 4000	108 W
Total Heat Dissipation		SSL-VPN 200	35.6 BTU
		SSL-VPN 2000	163.7 BTU
		SSL-VPN 4000	368.3 BTU
Dimensions		SSL-VPN 200	7.45 x 4.55 x 1.06 in
		SSL-VPN 2000	18.92 x 11.56 x 2.69 cm
		SSL-VPN 2000	17.00 x 10.00 x 1.75 in
		SSL-VPN 4000	43.18 x 25.40 x 4.45 cm
		SSL-VPN 4000	17.00 x 13.25 x 1.75 in
		SSL-VPN 4000	43.18 x 33.66 x 4.45 cm
Weight		SSL-VPN 200	3.00 lbs
		SSL-VPN 2000	1.36 kg
		SSL-VPN 2000	14.80 lbs
		SSL-VPN 4000	6.71 kg
		SSL-VPN 4000	18.50 lbs
		SSL-VPN 4000	8.39 kg
Major Regulatory Compliance			FCC Class A, ICES Class A, CE, G-Tick, VCCI Class A, MIC, NOM, UL, cUL, TUV/GS, CB
Environment			40-105° F, 5-40° C
			Humidity 10-90% non-condensing
MTBF		SSL-VPN 200	9.0 years
		SSL-VPN 2000	11.2 years
		SSL-VPN 4000	9.2 years

* Available only on the SSL-VPN 2000 and 4000

SonicWALL Value-Added Security Services

SonicWALL SSL-VPN solutions integrate seamlessly behind virtually any firewall. In addition, when the SSL-VPN appliance is deployed alongside a SonicWALL Network Security appliance, traffic can be fully inspected for content-based threats such as viruses, spyware and Trojans prior to being forwarded to its final destination on the network.

For more information on SonicWALL security services, including gateway anti-virus, anti-spyware, intrusion prevention and content filtering, please visit our Web site at <http://www.sonicwall.com/products/vpnsoft.html>.

SonicWALL, Inc.

1143 Borregas Avenue
Sunnyvale CA 94089-1306

T +1 408.745.9600
F +1 408.745.9300

www.sonicwall.com



SonicWALL SSL-VPN 200 (US/Canada) 01-SSC-5946

SonicWALL Dynamic Support 8x5 (1 Year) 01-SSC-5642

SonicWALL Dynamic Support 8x5 (2 Years) 01-SSC-6244

SonicWALL Dynamic Support 8x5 (3 Years) 01-SSC-6245

SonicWALL Dynamic Support 24x7 (1 Year) 01-SSC-5643

SonicWALL Dynamic Support 24x7 (2 Years) 01-SSC-6246

SonicWALL Dynamic Support 24x7 (3 Years) 01-SSC-6247



SonicWALL SSL-VPN 2000 (US/Canada) 01-SSC-5952

SonicWALL Dynamic Support 8x5 (1 Year) 01-SSC-5646

SonicWALL Dynamic Support 8x5 (2 Years) 01-SSC-6236

SonicWALL Dynamic Support 8x5 (3 Years) 01-SSC-6237

SonicWALL Dynamic Support 24x7 (1 Year) 01-SSC-5647

SonicWALL Dynamic Support 24x7 (2 Years) 01-SSC-6238

SonicWALL Dynamic Support 24x7 (3 Years) 01-SSC-6239



SonicWALL SSL-VPN 4000 (US/Canada) 01-SSC-5960

SonicWALL Dynamic Support 8x5 (1 Year) 01-SSC-6248

SonicWALL Dynamic Support 8x5 (2 Years) 01-SSC-6249

SonicWALL Dynamic Support 8x5 (3 Years) 01-SSC-6250

SonicWALL Dynamic Support 24x7 (1 Year) 01-SSC-6251

SonicWALL Dynamic Support 24x7 (2 Years) 01-SSC-6252

SonicWALL Dynamic Support 24x7 (3 Years) 01-SSC-6253